

Fire Safety for Wheelchair Users at Work and at Home



Mission Statement

United Spinal Association is dedicated to enhancing the lives of individuals with spinal cord injury or disease by ensuring quality health care, promoting research, advocating for civil rights and independence, educating the public about these issues, and enlisting its help to achieve these fundamental goals.

About Us

United Spinal Association was founded in 1946 as
Eastern Paralyzed Veterans Association to help enable
members, as well as others with disabilities, to lead full
and productive lives. We participated in drafting the
Americans with Disabilities Act and other civil rights
laws, and continue to promote their enforcement. Our
advocacy, sports and recreation, and medical research
programs, and our accessibility services are supported
by your donations.

Why was this brochure on fire safety for people with mobility impairments created?

The tragedy of September 11, 2001, provided us with firsthand examples of the special evacuation needs of wheelchair users during an emergency.

John Abruzzo, a C-5–C-6 quadriplegic who relies on a power wheelchair for mobility, escaped from the 69th floor of Tower One of the World Trade Center on 9/11. In the first attack on the World Trade Center in February 1993, John's evacuation took 6 hours, during which his chair was carried from the 69th floor to the 44th floor, where he was then transferred to a stretcher and finally evacuated from the building.

As they were evacuating with their co-workers from a telecommunications company at the World Trade Center on 9/11, Michael Benfante and John Cerqueira met a woman in a wheelchair on the 68th floor. Knowing she'd never make it out on her own, the men helped her down the stairs. Their trek ended on the ground floor more than an hour later, and only a few minutes before the tower collapsed.

The U.S. Census Bureau estimates that there are more than 21.2 million people who have mobility impairments.

By understanding their special evacuation needs, people with mobility impairments and first responders can improve their chances of evacuating their workplace or home safely. This brochure will emphasize the evacuation protocol for wheelchair users from these two areas.

This brochure was written for:


- Persons who use wheelchairs or who have other mobility impairments
- Fire, safety, and building code officials
- Emergency plan coordinators
- Building owners and managers
- Employers and supervisors
- Office fire marshals

There is no such thing as a "typical" or "model" evacuation plan for people with disabilities. "Boiler-plate" plans are worthless, as they do not take into account the unique circumstances of each facility and each person. Make sure your site is not using a boiler-plate disaster plan. Each building and sometimes building area (in large buildings) is unique and should have its own plan. The main goal is to get persons with mobility impairments to a "safe area" until the fire department arrives.

What's New . . .

United Spinal Association has worked to ensure that new state and model building codes integrate specific requirements to improve the life safety afforded to mobility-impaired persons in newly constructed buildings. Key features of these codes include:


• Areas of Refuge or firerated safe havens on a building's upper and below-grade floors designed for persons with mobility impairments to await further evacuation from the responding fire company. These areas can be provided in stair landings, elevator lobbies or an area that is properly fire-rated, and provides two-way emergency communication so that a wheelchair user can alert authorities to his or her location.



- Wide Exit Stairs are
- required to provide 48 inches between handrails so that three fire fighters will have enough room to carry a wheelchair user from a landing to safety.
- Means of Egress Elevators are elevators with stand-by power in addition to the fire service required of all elevators. The stand-by power enables fire fighters to travel to persons with mobility impairments on the upper or below-grade levels of a building and to evacuate them to the outdoors, even when a building's normal electrical service is lost.



• Exterior Areas of Assisted Rescue are protected areas outside the exit doors of buildings designed to provide a safe area for persons with mobility impairments when the terrain or grade surrounding a building can't be easily ramped to provide a safe route to a public area away from the building.



Ideally, an office occupancy has a written plan, reviewed by the authority having jurisdiction, that is read, understood, and practiced by the occupants. Such a plan will take into account everyone in the building, able-bodied or not, and provide them with the knowledge of how to evacuate during a real emergency.

Evacuation plans are required by many jurisdictions and for certain classes of buildings (e.g., school buildings).


Protocols and Procedures

- Establish a relationship with the fire department or other first responders that would respond to your home or business in the event of a fire or other emergency. The relationship should include:
 - Developing an evacuation plan with the fire department.
 - Reviewing the plan with the fire department at least once a year.
 - Practicing the evacuation plan throughout the year.

Employers, in turn, should review evacuation plans annually, and practice and evaluate them regularly. Even a brief discussion during a staff meeting can help to remind everyone what he or she needs to do. Ultimately, a solid level of preparedness should become part of the fabric of the facility.

2. Any evacuation plan should incorporate the following:

- Know the locations of your usable exits on the grade level of the building and how to get to them.
- Once outside, determine if a wheelchair user can get to a "public way" that is a safe distance away from the building and identify a safe meeting place. Earlier, this brochure described a protected area for people with mobility impairments outside the exit door. In many office buildings, even exits on the grade level of the building are elevated above the adjoining grade. In these instances, landings beyond the exit door should be reviewed to determine if they are adequate to accommodate a wheelchair user. Simply measure the landing. The clear floor space needed for a wheelchair user is 30 inches by 48 inches, but keep in mind that this area must be located beyond the swing of the exit door and clear of the exit path that ambulatory persons will use.



• Establish a Floor Warden System—these individuals are responsible for overseeing and coordinating evacuation activities, conducting a final pass through the office space, ensuring that everyone receives the necessary assistance as appropriate, ensuring all doors to the elevator lobby are closed, and reporting the floor evacuation status to the first fire or emergency officials arriving on the scene. When the alarm goes off, the Floor Warden should immediately verify circumstances and inform the person with a disability accordingly. It is of great importance to designate an alternate Floor Warden in the instance when the initial designee is absent. The names of these designated individuals should be updated and posted on a regular basis.

4 5

- Identify a location or locations for an area of refuge—In the event of a need for evacuation from an upper floor, wheelchair users should make their way, either accompanied or on their own, to a designated area of refuge or other place of safety on the same floor, (e.g., a closed staircase landing as described earlier). They should inform their supervisor, a colleague, or other available person that they will remain in that place of safety and wait for assistance. Providing two-way radios or a telephone in these areas are excellent examples of ensuring that communication is provided. The supervisor or other designated person should inform the first fire or emergency officials arriving on the scene of the disabled person's location.
- Evaluate the need for evacuation devices from upper and lower floors. If used, their location(s) should be identified and their use should be practiced during regularly scheduled drills.

The use of evacuation devices can be directed through the installation of signage (e.g., individuals using evacuation chairs must use the east stairwell next to the men's room).

- *Practice* dealing with different circumstances and unforeseen situations, such as blocked paths or exits.
- Remember never to open doors that are too hot.
- Ensure that all workers, including those on other shifts and those who are at the site after typical hours, (e.g., cleaning crews, evening meeting coordinators, etc.) are aware of wheelchair users who are typically in the building. Such off-hour employees should be involved in fire emergency drills.

Home Evacuation for Mobility Impaired Persons

United Spinal Association has some important tips to handle situations before and during a fire, and to address fire prevention within private homes. It is important to recognize that all people living with mobility impairments do not have the same type of home. Therefore, the following tips should be used only as a model to be modified and adjusted to fit each individual's private residence.

What to do Before a Fire Occurs . . .

- Identify and determine the nearest emergency exit or exits within your home. It is important to always know the safest and quickest exit from any location you are in and it should always be based on your physical capabilities. If it is at all possible, try to live, or have your sleeping area, close to an accessible exit. Then, in the event of an emergency, you will have the quickest escape route. You might require some accommodations to facilitate an emergency exit such as a ramp or removal of barriers. Make the adjustments necessary to ensure a safe escape route. In addition, be sure that you can also open all locks on windows and doors throughout your house.
- Install heat or smoke detectors throughout your home. Key locations for smoke alarms are: the kitchen, basement, storage areas, trash areas, accessible attics, sleeping areas, and hallways. Please note that there are various types of smoke alarms. The chart below describes what heat or smoke detectors are appropriate for each living space.

Location to Install Alarm	Rate of Temperature Rise	Fixed Temperature, Adjustable	Fixed Temperature, Permanent Setting 175° to 240°F (79° to 116°C)	Smoke/Products of Combustion
Kitchen	Preferred			
Basement	Preferred	Acceptable		
Storage	Preferred	Acceptable		
Trash	Preferred	Acceptable		
Garage		Preferred		
Accessible Attic			Preferred	
Sleeping Area				Preferred
Hallways	Acceptable			Preferred

Source: Based on Robert James Sorensen, *Design for Accessibility* (New York: McGraw-Hill Book Company), 1979, taken from U.S. Fire Administration & the Federal Emergency Management Agency's *Fire Risks for the Mobility Impaired*, October 1999.

- Heat and smoke detectors can reduce the chance of dying in a home fire by approximately 60%. This device is important to have in your home. It is also important to make sure that your smoke alarms are functioning properly. Make sure that smoke alarms are kept cleaned and vacuumed regularly to remove dust particles. In addition to this, you should test the batteries monthly and replace batteries twice a year to ensure that they are working properly. If your smoke alarms are connected to the electric circuits of your residence, you should have battery backups in case of an electrical failure. If you are unable to perform these tasks yourself, ask your friends, family members, building managers, or someone from the fire department to help you out.
- Learn how to use a fire extinguisher. For those who use wheelchairs, you
 might want to consider mounting a small personal extinguisher in an
 accessible place. This will be beneficial if you cannot "stop, drop, and roll" if
 your clothing catches on fire.
- Another beneficial resource of information is your local fire department. They
 can provide valuable information regarding better escape routes, equipment,
 and potential hazards within your home. Become knowledgeable of the fire
 department's restrictions and inform them of yours.



What to Do in Case a Fire Occurs . . .

- Always test doors before opening them. To do this safely, use the back of your hand and reach up high and touch the door, the doorknob, and the space between the door and the frame. If the door feels hot, keep it closed and use a second exit if available. If the door feels cool, open the door slowly and exit, staying as low to the ground as possible. If it is impossible for you to stay low to the ground, cover your mouth and nose and safely exit the room as quickly as possible. Covering your mouth and nose protects you from breathing in dangerous fumes.
- Exit your home as quickly as possible. Leave all personal possessions and belongings inside. These items are not worth your life. Do not use any elevators and *do not go back inside after exiting your home*. Get help from your neighbors and contact the fire department if they have not already been called to the fire.
- If you get trapped in your room close all doors between you and the fire. Fill cracks in all open spaces so no smoke enters the room. If possible, contact the fire department and inform them what room you are in. It is also a good idea to use a light colored cloth and wave it out the window to signal the fire department when they arrive at your location.
- If you own a cell phone, keep it with you at all times. Keeping it next to your bed at night, or even in the bathroom while you are taking a shower gives you a constant means of communication, even if you are trapped in a room and unable to reach a house phone.

Tips on Fire Prevention

When Cooking:

- Never leave a stove unattended. If you need to leave, even for a minute, make sure you turn the stove off.
- Always wear tight fitting clothing when cooking over an open flame.
- If food or grease catches fire, put a lid on the pan to smother the flames. Never use water to put out a grease fire!
- Turn pot handles away from the front of the stove so they cannot be knocked over or pulled down.

When Using Electrical Appliances/Machines:

- Unplug any appliance that begins to smell funny or produce smoke. Never use any appliance that has any exposed wires.
- Always replace frayed and damaged electrical cords.
- Never overload extension cords with too many wires.
- Keep all extension cords out of high traffic areas.
- Electrical blankets should have protection from overheating. Do not over wash electrical blankets because it may cause damage to the electrical circuitry.

When Smoking:

- Never smoke in bed.
- Make sure that you never leave smoking materials (i.e., a lit cigarette) unattended.
- Always be alert when smoking cigarettes. Avoid smoking while under the influence of alcohol or prescription drugs that may make you drowsy.
- Soak ashes in water before disposing them in the garbage can.

When Using Heaters or Heating Systems Within Your Home:

- Make sure there is adequate room surrounding the space heaters.
- Position heaters at least 3 feet away from flammable material.
- Physically, keep a safe distance between yourself and a space heater.
- Have heating systems and chimneys checked and cleaned once a year.
- Do not leave flammable materials such as fuel within your home. It is a good idea to keep materials such as these outside or in a garage area.
- Always have fireplaces covered with the appropriate protective products.



Fire Safety Resources

State Code Contacts

www.access-board.gov/links/statecodes.htm

International Building Code www.iccsafe.org

National Fire Protection Association www.nfpa.org/catalog/Home/index.asp

United States Fire Administration www.usfa.fema.gov

American Red Cross

www.redcross.org/services/disaster/beprepared/disability.html

Additional Information provided by the U.S. Fire Administration and the Federal Emergency Management Agency. (*Fire Risks for the Mobility Impaired*, October 1999).

To download or order publications from our Web site, or to learn more about the many programs and services available to you, visit **www.unitedspinal.org**. To order free individual copies of our publications please call *1.800.444.0120*. To request information regarding bulk copy purchases, please e-mail *publications@unitedspinal.org*.

Note: In January 2004, Eastern Paralyzed Veterans Association changed its name to United Spinal Association. United Spinal opened its membership to any person with a spinal cord injury and/or disease. You can download a Membership Application on our Web site at: **www.unitedspinal.org**. For more information, contact our Membership department: *1.800.404.2898*.

Did You Know . . .

That United Spinal Association does not receive any taxpayer money from the government?

Our programs depend on people like you and the gifts you give. In fact, without generous people like you, our organization could not exist.

For more information on the important programs that you help support, or for information on the different ways that you can make a gift, call **1-800-404-2899** or go to our Web site at: **www.unitedspinal.org**



United Spinal Association

75-20 Astoria Boulevard Jackson Heights, NY 11370

Tel 718.803.3782 Fax 718.803.0414 www.unitedspinal.org

Additional Offices

P.O. Box 42938 Philadelphia, PA 19101-2938 1.800.807.0190

111 West Huron Street Buffalo, NY 14202 1.800.807.0191

245 West Houston Street New York, NY 10014 Tel 212.807.3163 Fax 212.807.4018

324 Washington Avenue, SW Suite 1 Roanoke, VA 24016-4312 Tel 540.342.0032/0336 Fax 540.342.0339

1146 19th Street, NW Suite 250 Washington, DC 20036 Tel 202.331.1002 Fax 202.466.5011

12 13

Expanding Opportunities for Veterans and All Paralyzed Americans **United Spinal Association** 75-20 Astoria Boulevard Jackson Heights, NY 11370-1177

Tel 718 803 3782 Fax 718 803 0414 www.unitedspinal.org

Job #2004-0826-001WAL